

Publikationsliste bis 06/2010
(Prim. Doz. Dr. Hermann Nehoda)

1. Lanthaler M, Aigner F, Kinzl JF, Cakar-Beck F, Nehoda H.
Long-term results and complications following adjustable gastric banding.
Obes Surg 2010 May 23
Impact: 2,913; Score 5
2. Lanthaler M, Biebl M, Strasser S, Weissenbacher A, Margreiter R, Nehoda H.
Single center experience with intrahepatic cholangiocellular carcinoma.
Am Surg 2010 Apr; 76(4): 411-7.
Impact: 1,297 ; Score: 3
3. Thaler M, Achatz W, Liebensteiner M, Nehoda H., Bach CM.
Retroperitoneal lymphatic cyst formation after anterior lumbar interbody fusion: a report of 3 cases.
J Spinal Disord Tech 2010 Apr; 23(2): 146-50.
Impact: 1,365 ; Score: 3
4. Lanthaler M, Strasser S, Aigner F, Margreiter R, Nehoda H.
Weight loss and quality of life after gastric band removal or deflation.
Obes Surg 2009; Aug 13
Impact: 2,913; Score 5
5. Lanthaler M, Sieb M, Strasser S, Weiss H, Aigner F, Nehoda H.
Disappointing mid-term results after laparoscopic gastric banding in young patients.
Surg Obes Relat Dis 2009 Mar-Apr; 5(2): 218-23, Epub 2008 Aug 19
Impact: 3.862; Score: derzeit noch nicht gelistet, weil sehr neues Journal
6. Lanthaler M, Grissmann T, Schwentner L, Nehoda H.
Unusual differential diagnosis of upper abdominal pain.
Diagn Ther Endosc 2009; Epub 2009; Feb 16
7. Lanthaler M, Biebl M, Weissenbacher A, Margreiter R, Nehoda H.
Recurrence after liver resection for hepatocellular carcinoma in cirrhotic and noncirrhotic patients.
Chirurgische Gastroenterologie 2008, 24: 2-2
Impact: 0,071; Score 1
8. Lanthaler M, Biebl M, Mittermair R, Oefner D, Nehoda H.
Intraoperative colonoscopy for anastomosis assessment in laparoscopically assisted left-sided colon resection.
Journal of Laparoendoscopic & Advanced Surgical Techniques 2008; Feb; 18(1): 27-

31.
Impact: 0,912; Score: 2
9. Sauper T, Lanthaler M, Biebl M, Weiss H, Nehoda H.
Impaired anal sphincter function in professional cyclists.
Wien Klin Wochenschr 2007; 119(5-6): 170-3.
Impact: 0,857; Score: 2
10. Lanthaler M, Mittermair R, Erne B, Weiss H, Aigner F, Nehoda H.
Laparoscopic gastric re-banding versus laparoscopic gastric bypass as a rescue operation for patients with pouch dilatation.
Obes Surg 2006 Apr; 16(4): 484-87.
Impact: 2.913, Score: 5.
11. Klaus A, Gruber I, Wetscher G, Nehoda H, Aigner F, Peer R, Margreiter R, Weiss H.
Prevalent esophageal body motility disorders underlie aggravation of GERD symptoms in morbidly obese patients following adjustable gastric banding.
Arch Surg 2006 Mar; 141(3): 247-51.
Impact: 4,259 ; Score:5
12. Lanthaler M, Freund M, Margreiter R, Nehoda H.
Unusual impalement injury in a Jehovah`s Witness.
J Thorac Cardiovasc Surg 2005 May; 129(5): 1179-80
Impact:3,037; Score: 2.
13. Lanthaler M, Freund M, Nehoda H.
Laparoscopic resection of a giant liver haemangioma.
J Laparoendosc & Adv Surg Tech . 2005 Dec; 15(6): 624-26.
Impact:0,912, Score:1.
14. Oberwalder M, Weiss H, Nehoda H, Kafka-Ritsch R, Bonatti H, Prommegger R, Aigner F, Profanter C.
Videobronchoscopic guidance makes percutaneous dilational tracheostomy safer.
Surg Endosc 2004 May 18(5): 839-42.
Impact: 3,231 ; Score:5
15. Lanthaler M, Mittermair RP, Weiss H, Aigner F, Schwienbacher F, Tember J, Nehoda H.
Mechanical resistance of gastric bands - Comparison between new bands and bands having been placed in the patient`s body for at least two years.
Obes Surg. 2004 Apr;14(4);524-7.
Impact: 2.913, Score: 5.
16. Weiss HG, Kirchmayr W, Klaus A, Bonatti H, Mühlmann G, Nehoda H, Himpens J, Aigner F.
Surgical revision after failure of laparoscopic adjustable gastric banding.

- Br J Surg 2004 Feb; 91(2): 235-41.
Impact:4,921 ; Score:5
17. Lanthaler M, Nehoda H.
It is not always appendicitis.
Wiener Klinische Wochenschrift 2004 Jan 31;116(1-2):51-4.
Impact: 0,857, Score: 1.
18. Mittermair RP, Weiss H, Aigner F, Weissenboeck E, Lanthaler M, Nehoda H.
Is it necessary to deflate the adjustable gastric band for subsequent operations?
Am J Surg. 2003 Jan;185(1):50-3.
Impact: 2,605; Score: 5.
19. Lanthaler M, Weiss H, Weissenboeck E, Freund M, Aigner F, Nehoda H.
Mediastinalempysema after laparoscopic gastric banding.
Surg Endosc. 2003 Apr;17(4):661. Epub 2003 Jan 28.
Impact : 3,231; Score: 2,5.
20. Mittermair RP, Weiss H, Nehoda H, Kirchmayr W, Aigner F.
Laparoscopic Swedish adjustable gastric banding: 6-year follow-up and comparison to other laparoscopic bariatric procedures.
Obes Surg 2003 Jun; 13(3): 412-7.
Impact:2,913 ; Score: 5
21. Weiss HG, Klocker J, Labeck B, Nehoda H, Aigner F, Klingler A, Ebenbichler C, Föger B, Lechleitner M, Patsch JR, Schwelberger HG.
Plasma amine oxidase: a postulated cardiovascular risk factor in nondiabetic obese patients.
Metabolism 2003 Jun; 52(6): 688-92.
Impact:2,92 ; Score:3
22. Sauper T, Lanthaler M, Weissenboeck E, Nehoda H.
Spontaneous hepatic duct perforation in pregnancy: a case report and review of the literature.
Gyn Surg 2003; Dez, Vol 1, Nr 4,:
23. Mittermair RP, Weiss HG, Nehoda H, Peer R, Donnemiller E, Moncayo R, Aigner F.
Band leakage after laparoscopic adjustable gastric banding.
Obes Surg 2003 Dec; 13(6): 913-7.
Impact:2,913 ; Score:5
24. Mühlmann G, Klaus A, Kirchmayr W, Wykypiel H, Unger A, Höller E, Nehoda H, Aigner F, Weiss HG.
DaVinci robotic-assisted laparoscopic bariatric surgery: is it justified in a routine setting?
Obes Surg 2003 Dec; 13(6): 848-54.
Impact:2,913 ; Score:5

25. Nehoda H.
Surgical management of obesity.
Wien Klin Wochenschr 2002 Sep 30; 114(17-18): 744-7
Impact:0,857 ; Score:2
26. Weiss HG, Nehoda H, Labeck B, Peer-Kuehberger R, Oberwalder M, Aigner F, Wetscher GJ.
Adjustable gastric and esophagogastric banding: a randomized clinical trial.
Obes Surg 2002 Aug; 12(4): 573-8.
Impact:2,913 ; Score:5
27. Laimer M, Ebenbichler CF, Kaser S, Sandhofer A, Weiss H, Nehoda H, Aigner F, Patsch JR.
Weight loss increases soluble leptin receptor levels and the soluble receptor bound fraction of leptin.
Obes Res 2002 Jul; 10(7); 597-601.
28. Mittermair RP, Weiss H, Nehoda H, Aigner F.
Uncommon intragastric migration of the Swedish adjustable gastric band.
Obes Surg 2002 Jun; 12(3): 372-5
Impact:2,913 ; Score:5
29. Laimer M, Ebenbichler CF, Kaser S, Sandhofer A, Weiss H, Nehoda H, Aigner F, Patsch JR.
Markers of chronic inflammation and obesity: a prospective study on the reversibility of this association in middle-aged women undergoing weight loss by surgical intervention.
Int J Obes Relat Metab Disord 2002 May; 26(5): 659-62.
30. Nehoda H, Hourmont K, Sauper T, Mittermair R, Lanthaler M, Aigner F, Weiss H.
Laparoscopic gastric banding in older patients.
Arch Surg. 2001 Oct;136(10):1171-6.
Impact: 4,259; Score: 5.
31. Nehoda H, Hourmont K, Mittermair R, Lanthaler M, Sauper T, Peer R, Aigner F, Weiss H.
Is a routine liquid contrast swallow following laparoscopic gastric banding mandatory?
Obes Surg. 2001 Oct;11(5):600-4.
Impact: 2.913; Score: 5.
32. Labeck B, Nehoda H, Kuehberger-Peer R, Klocker J, Hourmont K, Aigner F, Weiss HG.
Adjustable gastric and esophagogastric banding. Is a pouch compulsory?
Surg Endosc 2001 Oct; 15(10): 1193-6.
Impact:3,231 ; Score:5

33. Nehoda H, Lanthaler M, Labeck B, Weiss H, Mittermair R, Hourmont K, Aigner F.
A study of pain after laparoscopic gastric banding.
Obes Surg. 2001 Apr;11(2):208-11.
Impact: 2,913; Score: 5.
34. Nehoda H, Hochleitner BW, Hourmont K, Weiss H, Lanthaler M, Tschmelitsch J.
Central liver hematomas caused by mountain-bike crashes.
Injury. 2001 May;32(4):285-7.
Impact: 1,946; Score: 3.
35. Nehoda H, Weiss H, Labeck B, Hourmont K, Lanthaler M, Oberwalder M, Aigner F.
Results and complications after adjustable gastric banding in a series of 250 patients.
Am J Surg. 2001 Jan;181(1):12-5.
Impact: 2,605; Score: 5.
36. Nehoda H, Weiss H, Labeck B, Lanthaler M, Hourmont K, Oberwalder M, Aigner F.
Sengstaken balloon tamponade for life-threatening pouch hemorrhage after laparoscopic gastric banding.
Endoscopy. 2001 Jan;33(1):99
Impact: 6,091; Score: 5.
37. Weiss HG, Nehoda H, Labeck B, Hourmont K, Marth C, Aigner F.
Pregnancies after adjustable gastric banding.
Obes Surg 2001 Jun; 11(3): 303-6.
Impact:2,913 ; Score:5
38. Hochleitner BW, Bösmüller C, Nehoda H, Frühwirt M, Simma B, Ellemunter H, Steurer W, Hochleitner EO, Königsrainer A, Margreiter R.
Increased tacrolimus levels during diarrhea.
Transpl Int 2001 Aug; 14(4): 230-3.
Impact:3,115 ; Score:5
39. Weiss H, Peer R, Nehoda H, Labeck B, Bonatti H, Aigner F, Donnemiller E, Erler H, Moncayo R.
Improved scintigraphic assessment of occult leakages in adjustable gastric bands using 99mTc-labelled human albumin colloid.
Obes Surg 2001 Aug; 11(4): 502-6.
Impact:2,913 ; Score:5
40. Nehoda H, Hourmont K.
Boerhaave's syndrome.
N Engl J Med 2001 Jan 11; 344(2): 138-9.
Impact:50,017 ; Score:5

41. Labeck B, Nehoda H, Kähler C, Freund M, Aigner F, Weiss HG.
Adjustable gastric banding in a patient with sarcoidosis.
Surg Endosc 2001 Nov; 15(11): 1361.
Impact: 3,231 ; Score:5
42. Kirchmayr W, Ammann K, Aigner F, Weiss HG, Nehoda H.
Pouch dilatation after gastric banding causing gastric necrosis.
Obes Surg 2001 Dec; 11(6): 770-2.
Impact:2,913 ; Score:5
43. Weiss H, Labeck B, Klocker J, Nehoda H, Mittermair R, Aigner F, Gadenstätter M, Schwelberger H, Wetscher G.
Effects of adjustable gastric banding on altered gut neuropeptide levels in morbidly obese patients.
Obes Surg 2001 Dec; 11(6): 735-9.
Impact:2,913 ; Score:5
44. Nehoda H, Lanthaler M, Labeck B, Weiss H, Hourmont K, Klingler PJ, Aigner F.
Aberrant left hepatic artery in laparoscopic gastric banding.
Obes Surg. 2000 Dec;10(6):564-8.
Impact: 2.913; Score: 5.
45. Weiss HG, Nehoda H, Labeck B, Peer-Kühberger MD, Klingler P, Gadenstätter M, Aigner F, Wetscher GJ.
Treatment of morbid obesity with laparoscopic adjustable gastric banding affects esophageal motility.
Am J Surg 2000 Dec; 180(6) : 479-82.
Impact: 2,605 ; Score:5
46. Wechselberger G, Haug M, Schoeller T, Nehoda H, Piza-Katzer H.
Breast reconstruction facilitated by vertical banded gastroplasty.
Obes Surg 2000 Oct ; 10(5) : 460-4.
Impact:2,913 ; Score:5
47. Weiss H, Nehoda H, Labeck B, Oberwalder M, Königsrainer A, Margreiter R.
Organ transplantation and obesity : evaluation, risks and benefits of therapeutic strategies.
Obes Surg 2000 Oct ; 10(5) : 465-9
Impact:2,913 ; Score:5
48. Weiss H, Nehoda H, Labeck B, Hourmont K, Lanthaler M, Aigner F.
Injection port complications after gastric banding: incidence, management and prevention.
Obes Surg. 2000 Jun;10(3):259-62.
Impact: 2.913; Score: 5.
49. Weiss H, Nehoda H, Labeck B, Peer-Kuhberger R, Lanthaler M, Aigner F.

Deflated adjustable gastric band: migration through anterior gastric wall.

Endoscopy. 2000 Jun;32(6):S35.

Impact: 6,091; Score: 5.

50. Weiss H, Nehoda H, Labeck B, Peer R, Aigner F.

Gastroscopic band removal after intragastric migration of adjustable gastric band: a new minimal invasive technique.

Obes Surg 2000 Apr; 10(2): 167-70.

Impact:2,913 ; Score:5

51. Nehoda H, Hochleitner BW, Riedmann B, Spechtenhauser B, Aigner F.

Titanium clips causing duodenal ulcer penetration with life-threatening hemorrhage.

Endoscopy 1999 Mar; 31(3): S14-5

Impact: 6,091 ; Score:5

52. Nehoda H, Hourmont K, Hochleitner BW.

Safe cycling.

Lancet 1999 Apr 3; 353 (9159): 1192

Impact:28,409 ; Score:5

53. Nehoda H, Hochleitner BW.

Subcapsular liver haematomas caused by bar ends in mountain-bike crashes.

Lancet 1998 Jan 31; 351 (9099): 342

Impact: 28,409 ; Score:5

54. Nehoda H, Hochleitner BW, Chemelli A, Margreiter R, Königsrainer A.

Successful resection of an infarcted lower pole in a transplanted kidney.

Nephrol Dial Transplant 1998 Apr; 13(4): 1021-2.

Impact:3,568 ; Score:5

55. Nehoda H, Wieser C, Koller J, Königsrainer A, Battista HJ, Vogel W, Margreiter R.

Recurrent liver failure with severe rhabdomyolysis after liver transplantation for carbon tetrachloride intoxication.

Hepatogastroenterology 1998 Jan-Feb; 45(19): 191-5.

56. Pernthaler H, Nehoda H, Riedmann B, Aichberger C, Margreiter R.

Altered pacemaker frequency gradient of a human small bowel allograft.

Transplant Proc 1997 May; 29(3): 1845-6.

Impact:1,055 ; Score: 2

57. Margreiter R, Pernthaler H, Steurer W, Nehoda H, Riedmann B.

A novel technique for reconstruction of the proximal alimentary tract after bowel transplantation for intestinal pseudo-obstruction.

Tranpl Int 1997; 10(3): 247-8.

Impact:3,115 ; Score:5

58. Pernthaler H, Nehoda H, Riedmann B, Aichberger C, Margreiter R.
Altered but preserved motility of a human small bowel allograft.
Transplant Proc 1996 Oct; 28(5): 2794.
Impact: 1,055 ; Score: 2
59. Ofner D, Riehemann K, Maier H, Riedmann B, Nehoda H, Tötsch M, Böcker W,
Jasani B, Schmid KW.
Immunohistochemically detectable bcl-2 expression in colorectal carcinoma:
correlation with tumour stage and patient survival.
Br J Cancer 1995 Oct; 72(4): 981-5.
Impact: 4,846 ; Score:5

Punkte aller 59 Publikationen - Impact: 251,238; Score: 224,5.